UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/811,636	03/29/2004	Dennis McDevitt	022956-0692	2385	
21125 NUTTER MCC	7590 12/13/2007 CLENNEN & FISH LLP		EXAMINER		
WORLD TRADE CENTER WEST 155 SEAPORT BOULEVARD			CUMBERLEDGE, JERRY L		
BOSTON, MA			ART UNIT	PAPER NUMBER	
			3733		
		•			
			NOTIFICATION DATE	DELIVERY MODE	
			12/13/2007	ELECTRONIC	

## Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

docket@nutter.com

ill the second of the second o				
	Application No.	Applicant(s)		
·. '	10/811,636	MCDEVITT ET AL.		
Office Action Summary	Examiner	Art Unit		
	Jerry Cumberledge	3733		
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address		
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period v  - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tin vill apply and will expire SIX (6) MONTHS from , cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).		
Status				
<ul> <li>1) Responsive to communication(s) filed on 01 O</li> <li>2a) This action is FINAL. 2b) This</li> <li>3) Since this application is in condition for alloware closed in accordance with the practice under E</li> </ul>	action is non-final.			
Disposition of Claims				
4) ☐ Claim(s) 1-26 and 29-63 is/are pending in the a 4a) Of the above claim(s) is/are withdray 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-26 and 29-63 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/o	wn from consideration.			
Application Papers				
9) ☐ The specification is objected to by the Examine 10) ☑ The drawing(s) filed on 29 March 2004 is/are:  Applicant may not request that any objection to the  Replacement drawing sheet(s) including the correct 11) ☐ The oath or declaration is objected to by the Ex	a) $\square$ accepted or b) $\square$ objected t drawing(s) be held in abeyance. Se tion is required if the drawing(s) is ob	e 37 CFR 1.85(a). ejected to. See 37 CFR 1.121(d).		
Priority under 35 U.S.C. § 119				
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:  1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in Applicat rity documents have been receive u (PCT Rule 17.2(a)).	ion No ed in this National Stage		
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO/SB/08)  Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other:	ate		

Art Unit: 3733

## Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-7, 12, 13, 15, 16-22, 29-35, 40-46 and 48-55 are rejected under 35 U.S.C. 103(a) as being unpatentable over Biedermann et al. (US Pat. 5,209,753) in view of Bremer (US Pat. 5,209,753).

Biedermann et al. disclose an apparatus for attaching tissue to bone comprising: an expandable body (Fig. 1) defining a bore (Fig. 1, ref. 11) and configured to expand into bone (Fig. 1), said expandable body comprising a distal tip member (Fig. 1, ref. 12) and a proximal main member (Fig. 1, ref. 2), said distal tip member having a threaded recess (Fig. 1, ref. 13)(column 1,lines 56-66) in a proximal surface thereof (Fig. 1) and said proximal main member having a distally extending threaded recess (Fig. 1, ref. 11) in a proximal surface thereof and said proximal main member having a distally extending threaded projection (Fig. 1, ref. 18) threadedly interengageable with the distal tip member recess; an expander pin (Fig. 1, ref. 16) comprising a shaft (Fig. 1, ref. 16) sized to be received in the bore of said expandable body and expand said expandable body laterally when said expander pin is driven into said expandable body (Fig. 1); and a tissue attachment member (Fig. 1, ref. 3) formed on said shaft; whereby when said expander pin is driven into said expandable body is attached to the bone and said tissue attachment means member secures the tissue to said

**Art Unit: 3733** 

apparatus. The expander pin includes a fastener stabilization apparatus for stabilizing said expander pin relative to said expandable body (Fig. 1). The fastener stabilization apparatus comprises threads (Fig. 1). The tissue attachment means member comprises at least one laterally-extending projection for tacking tissue (Fig. 1, ref. 3). The at least one laterally-extending projection has as substantially linear outer edge (Fig. 1, near ref. 9). The at least one laterally-extending projection has a substantially arc-like outer edge (Fig. 1, ref. 3). The expandable body distal tip member is tapered (Fig. 1). The expandable body includes a bone securement apparatus for securing said expandable body relative to bone (Fig. 1, ref. 4). The bone securement apparatus comprises threads (Fig. 1, ref. 4). The apparatus further comprises an installation tool (column 1, lines 41-43), and wherein said installation tool comprises a shaft (column 1, lines 41-43) sized to be slidingly received in said bore of said expandable body and in a bore of said expander pin. The shaft is releasably attachable to said expandable body (column 1, lines 41-43). The shaft and said expandable body are threadingly interengageable with one another (Fig. 1). The shaft has a tapered distal end (Fig. 1). The shaft extends distally beyond said expandable body when said shaft is slidingly received in said bore of said expandable body (Fig. 1, since the shaft extends into ref. 13). The apparatus further comprises a pusher member configured to drive said expander pin into said expandable body (column 1, lines 41-43). The pusher member slides along said shaft when driving said expander pin into said expandable body (column 1, lines 41-43).

Biedermann et al. disclose an apparatus for attaching tissue to bone comprising: an expandable body (Fig. 1) configured to expand into bone (Fig. 1), said expandable

Art Unit: 3733

body defining a bore (Fig. 1, ref. 11); an expander pin (Fig. 1, ref. 16) comprising a shaft (Fig. 1, ref. 16) sized to be received in the bore of said expandable body (Fig. 1) and expand said expandable body laterally when said expander pin is driven into said expandable body (Fig. 1); and a tissue attachment member (Fig. 1, ref. 3) formed on said shaft; whereby when said expander pin is driven into said expandable body, said expandable body is attached to the bone and said tissue attachment member secures the tissue to said apparatus. The tissue attachment member comprises at least one laterally-extending projection (fig. 1, ref. 3) for tacking tissue. The at least one laterallyextending projection has a substantially linear outer edge. The at least one laterallyextending projection has a substantially arc-like outer edge (Fig. 1, ref. 3). The expandable body is provided with a tapered distal end (Fig. 1, ref., 7). The expandable body comprises a distal tip member (Fig. 1, ref. 12) and a proximal main member (Fig. 1, ref. 2), said distal tip member being separable from said proximal main member. The distal tip member and said proximal main member are threadedly interengageable with one another (Fig. 1). The distal tip member and said proximal main member are frictionally interengageable with one another (Fig. 1). The expandable body distal tip member is tapered (Fig. 1, ref. 7). The expandable body includes a bone securement apparatus (Fig. 1, ref. 4) for securing said expandable body relative to bone. The bone securement apparatus comprises ribs. The bone securement apparatus comprises threads (Fig. 1, ref. 4). The apparatus further comprises an installation tool (column 1, lines 41-43) and wherein said installation tool comprises a shaft sized to be slidingly received in said bore of said expandable body and a bore of said expander pin (column

Art Unit: 3733

extending projection (Fig. 2).

1, lines 41-43). The shaft is releasably attachable to said expandable body (Fig. 1). The shaft and said expandable body are threadedly interengageable with one another (Fig.

1). The shaft is provided with a tapered distal end (Fig. 1). The shaft extends distally beyond said expandable body when said shaft is slidingly received in said bore of said expandable body (Fig. 1). The apparatus further comprises a pusher member configured to drive said expander pin into said expandable body (column 1, lines 41-43). The pusher member slides along said shaft when driving said expander pin into said expandable body (column 1, lines 41-43). The at least one laterally-extending projection has a substantially convex configuration (Fig. 1). The at least one laterally-extending projection has a substantially planar configuration (Fig. 1, near ref. 9). The at least one laterally-extending projection has a substantially concave configuration (Fig. 1, left of ref. 11). The tissue attachment member further comprises at least one laterally-extending projection projecting distally out of said at least one laterally-

Biedermann et al. disclose the claimed invention except for the distal tip member being of harder material than said proximal main member.

Bremer discloses a surgical device that comprises a distal tip member that is made of a material harder than a proximal portion, in order to reduce artifacting (column 3, lines 62-68)(column 4, lines 1-12).

It would have been obvious to a person having ordinary skill in the art at the time the invention was made to have constructed the distal tip member of Biedermann et al.

Art Unit: 3733

from a harder material than the proximal main memberas taught by Bremer, in order to reduce artifacting (column 3, lines 62-68)(column 4, lines 1-12).

Claims 8-10 and 36-38 are rejected under 35 U.S.C. 103(a) as being unpatentable over Biedermann et al. (US Pat. 5,209,753) in view of Bremer (US Pat. 5,209,753) in view of Stone et al. (US Pat. 5,370,662).

Beidermann in view of Bremer disclose the claimed invention except for the tissue attachment member comprises a bore formed in said expander pin and a suture extending through said expander pin bore. The tissue attachment member is configured so that said suture may slide relative to said expander pin when said expander pin is received in said expandable body. The tissue attachment member further comprises a second bore formed in said expander pin and second suture extending through said second expander pin bore.

Stone et al. disclose tissue attachment means comprising a pin (Fig. 8B, entirety) with a bore (Fig. 8B, ref. 50a) formed therein, and a suture extending through the bore (column 4, lines 41-44), the tissue attachment means is configured so that the suture is slidable relative to the pin, since the sutures are merely threaded through the bores (e.g., see Fig. 1); the tissue attachment means further comprises a second bore (Fig. 8B, ref. 50a) formed in the expander pin and a second suture extending through the second expander pin bore (column 8, lines 56-58); the tissue attachment means further comprises at least one longitudinally-extending projection (Fig. 8A, ref. 54) projecting distally out of at least one laterally-extending projection (Fig. 8A, ref. 91). This bore and

suture arrangement is useful for accepting a driving tool (column 6, lines 52-54).

It would have been obvious to a person having ordinary skill in the art at the time the invention was made to have constructed the tissue attachment means of Beidermann in view of Bremer with the bores and sutures of Stone et al., in order to provide a suture arrangement that is useful for accepting a driving tool (column 6, lines 52-54).

Claims 11 and 39 are rejected under 35 U.S.C. 103(a) as being unpatentable over Biedermann et al. (US Pat. 5,209,753) in view of Bremer (US Pat. 5,209,753) in view of Bonutti (US Pat. 5,948,002).

Beidermann in view of Bremer disclose the claimed invention except for the expander pin having indicia for indicating depth.

Bonutti discloses a pin (Fig. 11, ref. 92c) inserted into a bore which includes depth indicia (column 39, lines 36-38), to indicate the depth which the suture anchor has been placed into tissue (column 39, lines 26-36).

It would have been obvious to a person having ordinary skill in the art at the time the invention was made to have constructed the expander pin of Beidermann in view of Bremer with the depth indicia on a pin which is inserted into a bore of Bonutti, in order for the expander pin to indicate the depth which the suture anchor has been placed into tissue.

Art Unit: 3733

Control Number: 10/011,0

Claims 14 and 47 are rejected under 35 U.S.C. 103(a) as being unpatentable over Biedermann et al. (US Pat. 5,209,753) in view of Bremer (US Pat. 5,209,753) in view of Nicholson (US Pat. 5,725,529).

Beidermann in view of Bremer disclose the claimed invention except for the bone securement apparatus comprises ribs.

Nicholson discloses the bone securement apparatus (Fig. 3, ref. 10) comprising ribs (Fig. 3, ref. 16), in order to allow the bone securement apparatus to engage irregularities in the bone opening wall as the expandable member deforms and conforms to the bone opening wall during and after expansion (column 6, lines 20-24).

It would have been obvious to a person having ordinary skill in the art at the time the invention was made to have constructed the bone securement apparatus of Beidermann in view of Bremer with the ribs of Nicholson, in order to allow the bone securement apparatus to engage irregularities in the bone opening wall as the expandable member deforms and conforms to the bone opening wall during and after expansion (column 6, lines 20-24).

Claims 23-26 and 56-59 are rejected under 35 U.S.C. 103(a) as being unpatentable over Biedermann et al. (US Pat. 5,209,753) in view of Bremer (US Pat. 5,209,753) in view of Moll et al. (US Pat. 5,078,718).

Beidermann in view of Bremer disclose the claimed invention except for a cannulated driver assembly (a slap-hammer), a connector for connecting the driver

Art Unit: 3733

assembly to a sleeve and a trigger, the driver assembly being used to apply impact tension to a sleeve.

Moll et al. discloses a cannulated driver assembly (a slap-hammer) (column 7, lines 13-15), a connector for connecting the driver assembly to a sleeve (column 7, lines 13-15) and a trigger (Fig. 3G, knob at top of device), the driver assembly being used to apply impact tension to a sleeve (column 7, lines 15-17).

It would have been obvious to a person having ordinary skill in the art at the time invention was made to have modified the apparatus of Beidermann in view of Bremer to further include a slap-hammer connected to a sleeve as taught by Moll et al., in order to apply impact tension to the expandable body of Beidermann in view of Bremer (column 7, lines 15-17).

## Response to Arguments

Applicant's arguments with respect to claims 1-26 and 29-63 have been considered but are most in view of the new ground(s) of rejection.

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jerry Cumberledge whose telephone number is (571) 272-2289. The examiner can normally be reached on Monday - Friday, 8:30 AM - 5:00 PM.

Application/Control Number: 10/811,636 Page 10

Art Unit: 3733

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eduardo Robert can be reached on (571) 272-4719. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

JLC

MC